



<b>Packaging item:</b>	Ø200/182 x 177 mm CPR UN
<b>Content net:</b>	4,0 liter
<b>Date:</b>	1-9-2011
<b>Internal code:</b>	N/A

Body	
Type	Welded, tapered stackable
Material	Tinplate
Plate thickness	0,24
Tin coating	E2.0/2.0
Coating inside	Plain
Coating outside	Plain
Ball Ear	
Type	2 pieces welded
Material	Tinplate
Bail	
Type	Bail hanged in
Material	Steel wire galvanized
Bottom end	
Type	Ø 182 mm, Stepped profile, seamed on
Material	Tin plate
Plate thickness	0,26
Tin coating	E2.0/2.0
Coating inside	Plain
Coating outside	Plain
Compound	In the double seam
Ring	
Type	Ø 200 mm, Consafe, seamed on
Material	Tin plate
Plate thickness	0,26
Tin coating	E2.0/2.0
Coating inside	Plain
Coating outside	Plain
Compound	In the double seam and puff compound
Plug lid	
Type	Ø 191 mm Consafe, loose
Marking	UN1A2/Z/100/./D/BAM 4945 SLW
Material	Tin plate
Plate thickness	0,26
Tin coating	E2.0/2.0
Coating inside	Plain
Coating outside	Plain
Compound	Puff compound

<b>Packaging item:</b>	Ø200/182 x 177 mm CPR UN
<b>Content net:</b>	4,0 liter
<b>Date:</b>	1-9-2011
<b>Internal code:</b>	N/A

Capacities, weights and dimensions	
Weight (gr)	413,8 ± 5%
Package capacity (ml)	4000
Brimfull capacity (ml)	4515



NENNFÜLLVOLUMEN : 4,0 l  
BEHÄLTNISVOLUMEN : 4515 ml

Diese Spezifikation ist in Sachen des Urheberrechtsgesetzes unser geistiges Eigentum. Ohne unsere Zustimmung darf sie weder vervielfältigt noch Dritten zugänglich gemacht werden. Änderungen behalten wir uns vor.

Konischer ED-Eimer UN  
CPR 200/182 X 177 MM