


<b>Packaging item:</b>	Ø200/182 x 218 mm CPR UN
<b>Content net:</b>	5,0 liter
<b>Date:</b>	1-9-2011
<b>Internal code:</b>	N/A

<b>Body</b>	
Type	Welded, tapered stackable
Material	Tinplate
Plate thickness	0,24
Tin coating	E2.0/2.0
Coating inside	Plain
Coating outside	Plain
<b>Ball Ear</b>	
Type	2 pieces welded
Material	Tinplate
<b>Bail</b>	
Type	Bail hanged in
Material	Steel wire galvanized
<b>Bottom end</b>	
Type	Ø 182 mm, Stepped profile, seamed on
Material	Tin plate
Plate thickness	0,26
Tin coating	E2.0/2.0
Coating inside	Plain
Coating outside	Plain
Compound	In the double seam
<b>Ring</b>	
Type	Ø 200 mm, Consafe, seamed on
Material	Tin plate
Plate thickness	0,26
Tin coating	E2.0/2.0
Coating inside	Plain
Coating outside	Plain
Compound	In the double seam and puff compound
<b>Plug lid</b>	
Type	Ø 191 mm Consafe, loose
Marking	UN1A2/Z/100/./D/BAM 4945 SLW
Material	Tin plate
Plate thickness	0,26
Tin coating	E2.0/2.0
Coating inside	Plain
Coating outside	Plain
Compound	Puff compound

<b>Packaging item:</b>	Ø200/182 x 218 mm CPR UN
<b>Content net:</b>	5,0 liter
<b>Date:</b>	1-9-2011
<b>Internal code:</b>	N/A

Capacities, weights and dimensions	
Weight (gr)	455,26 ± 5%
Package capacity (ml)	5000
Brimfull capacity (ml)	5685



NENNFÜLLVOLUMEN : 5,0 l  
BEHÄLTNISVOLUMEN : 5685 ml

Diese Spezifikation ist in Sachen des Urheberrechtsgesetzes unser geistiges Eigentum. Ohne unsere Zustimmung darf sie weder vervielfältigt noch Dritten zugänglich gemacht werden. Änderungen behalten wir uns vor.

Konischer ED-Eimer UN  
CPR 200/182 X 218 MM